

INDEX TO VOL. IV.

A.

- Abronia Crux-Maltæ*, 253.
 cycloptera, 253.
 micrantha, 253.
Acanthophora Delilei, 237.
 muscoides, 237.
Acerates, 66, 72.
 angustifolia, 72.
 auriculata, 72.
 lanuginosa, 73.
 longifolia, 73.
 paniculata, 66.
 tomentosa, 73.
 viridiflora, 73.
 Acid, Diamido-sulphobenzide-di-carbonic, 205.
 Parabromalphatoluylic, 223.
 Air, Effect of Temperature on Viscosity of, 41.
 Alga, New, of California, 245.
 Algæ, on some new to the United States, 235.
Amarantus albus, 274.
 blitoides, 273.
 Blitum, 273.
 fimbriatus, 274.
 Greggii, 274.
 obovatus, 275.
 Palmeri, 274.
 Torreyi, 274.
 Wrightii, 275.
Amblogyne, 274.
Ammonic parabromalphatolate, 224.
Amphidium molybdoplacum, 182.
Amphiroa Californica, 238.
 cuspidata, 239.
 debilis, 239.
 fragilissima, 239.
 nodulosa, 239.
 Orbigniana, 238.
Amphiroa Tribulus, 239.
 tuberculosa, 239.
 vertebralis, 239.
Amsonia brevifolia, 64.
 longiflora, 64.
 Palmeri, 64.
 tomentosa, 64.
Anantherix, 66.
 connivens, 66.
 decumbens, 66.
 paniculatus, 66.
 viridis, 66.
Angelica leporina, 252.
 Antigeny, or Sexual Dimorphism, in Butterflies, 150.
Antirrhinum chytrospermum, 81.
 cyathiferum, 81.
 Appropriations, 279, 283.
Arctomecon, Character of, 52.
Arctostaphylos Clevelandi, 61.
Argentio parabromalphatolate, 224.
Arsenite of Copper, Experiments upon, 11.
Asclepias, 65.
 amœna, 67.
 amplexicaulis, 67.
 angustifolia, 70, 71, 72.
 arenaria, 68.
 brachystephana, 68.
 cinerea, 72.
 Cornuti, 67.
 Coulteri, 71.
 cryptoceras, 67.
 Curassavica, 66.
 debilis, 70.
 Douglasii, 67.
 eriocarpa, 68.
 erosa, 68.
 fascicularis, 71.
 Feayi, 72.
 Fremonti, 68.

Asclepias galioides, 71.
 glauescens, 67.
 Hallii, 69.
 humistrata, 67.
 incarnata, 67.
 involutrata, 69.
 Jamesii, 68.
 lanceolata, 66.
 leucophylla, 68.
 Linaria, 71.
 linearis, 70, 71.
 Lindheimeri, 72.
 linifolia, 70.
 longicornu, 72.
 macrophylla, 71.
 macrotis, 69.
 Meadii, 67.
 Mexicana, 71.
 Michauxii, 72.
 nivea, 68, 70.
 nummularia, 67.
 Nuttalliana, 69.
 nyctaginifolia, 69.
 obovata, 69.
 obtusifolia, 67.
 ovalifolia, 69.
 parviflora, 70.
 paupercula, 66.
 perennis, 70.
 phytolaccoides, 68.
 purpurascens, 67.
 quadrifolia, 70.
 quinquedentata, 71.
 rubra, 67.
 speciosa, 67.
 stenophylla, 72.
 subulata, 70.
 Sullivantii, 67.
 Syriaca, 67.
 tomentosa, 68.
 tuberosa, 66, 72.
 variegata, 68, 69.
 verticillata, 71.
 vestita, 68.
 virgata, 70, 71.
 viridis, 66.
 viridula, 72.
Asclepiodora, 66.
 viridis, 66.
Astragalus collinus, 54.
 flavus, 54.
 Haydenianus, 56.
 humillimus, 57.
 Newberryi, 55.
 Pattersoni, 55.
 subcompressus, 56.

Astragalus tricarlinatus, 56.
 Wardii, 55.
Atriplex decumbens, 275.

B.

Benzyl Compounds, Researches on
 the Substituted, 209.
 Benzylbromides, on Certain Sub-
 stituted, 211.
 Metabrombenzylbromide, 214.
 Orthobrombenzylbromide, 215.
 Parabrombenzylbromide, 211.
 Parachlorbenzylbromide, 218.
 Paraiodbenzylbromide, 219.
Biatora carnulenta, 179.
 caulophylla, 178.
 glaucograna, 179.
 livido-nigricans, 180.
 peliaspis, 179.
 peliaspistes, 179.
 petri, 179.
Bigelovia Vaseyi, 58.
 Biographical notices:—
 Karl Ernst Von Baer, 331.
 Alexander Braun, 325.
 Alexis Caswell, 307.
 Charles Davies, 320.
 Charles Henry Davis, 313.
 Christian Gottfried Ehrenberg,
 327.
 Nicholas St. John Green, 389.
 Wilhelm Friedrich Benedict
 Hofmeister, 328.
 Christian Jassen, 329.
 Fielding Bradford Meek, 321.
 Johann Christian Poggendorff,
 330.
 William Augustus Stearns,
 291.
 Emory Washburn, 300.
 Edward Wigglesworth, 303.
 Charles Wilkes, 323.

Botany, Contributions to, 51, 159,
 246.
Brickellia Greenei, 58.
Browallia Texana, 165.
Buellia parasema, 185.
 radiata, 173.
 Butterflies, Sexual Dimorphism in,
 150.

C.

Callithamnion arbuscula, 244.
 Dasyoides, 244.

- Callithamnion efflorescens*, 245.
 heteromorphum, 245.
 Lejollisea, 244.
 Pikeanum, 244.
 ptilophora, 244.
Canbya and *Arctomecon*, 51.
Canbya candida, 51.
Canotia, 159, 160.
Centrostegia, 269.
 leptoceras, 269.
 Thurberi, 269.
Chantransia efflorescens, 245.
Chloraea Austinae, 83.
Chondrus affinis, 242.
 canaliculatus, 242.
Chorizantho, Revision of, 269.
 brevicornu, 272.
 Breweri, 270.
 Californica, 269.
 commisuralis, 269.
 corrugata, 273.
 diffusa, 270.
 Douglasii, 270.
 fimbriata, 271.
 laciniata, 171.
 leptoceras, 269.
 membranacea, 270.
 Palmeri, 271.
 Parryi, 271.
 perfoliata, 269.
 polygonoides, 273.
 procumbens, 271, 272.
 pungens, 270.
 rigida, 273.
 staticoides, 271, 272.
 stellulata, 270.
 Thurberi, 269.
 uniaristata, 272.
 valida, 271.
 Watsoni, 273.
 Wheeleri, 272.
 Xanti, 272.
Chrysomenia acanthoclada, 238.
 ramosissima, 238.
Chthamalia, 74.
 biflora, 78.
 pubiflora, 77.
Claytonia bulbifera, 54.
Clethra, 61.
Committees, 281, 285, 287.
Communications from Messrs.
 A. G. Bell, 1, 283, 285.
 T. M. Brewer, 285.
 J. H. Bullard, 282.
 J. P. Cooke, Jr., 113, 124, 282,
 287, 288.
Communications from Messrs.
 D. C. Eaton, 245.
 W. G. Farlow, 235, 287, 288.
 W. Gibbs, 288.
 A. Gray, 51, 159, 282, 283, 287,
 288.
 W. Harkness, 186, 286.
 H. B. Hill, 26, 282, 287.
 E. R. Hills, 85.
 S. W. Holman, 41, 282.
 T. S. Hunt, 288.
 C. L. Jackson, 209, 211, 282,
 286, 287, 288.
 O. R. Jackson, 36, 282.
 W. Lowery, 221, 282, 287.
 C. F. Mabery, 288.
 W. H. Melville, 228, 282.
 A. Michael, 205, 288.
 A. J. H. Norton, 285.
 T. H. Norton, 205, 288.
 E. C. Pickering, 284, 286.
 B. Peirce, 286, 287.
 B. O. Peirce, Jr., 143, 287.
 C. S. Peirce, 283.
 J. W. Powell, 285.
 W. A. Rogers, 283.
 S. H. Scudder, 150, 284, 286.
 S. P. Sharples, 11, 98, 284.
 A. L. Thomsen, 282.
 L. Trouvelot, 284.
 J. Trowbridge, 131, 285, 286,
 288.
 E. Tuckerman, 166.
 L. Waldo, 284.
 S. Watson, 246, 288.
 W. Watson, 282.
 J. D. Whitney, 284.
 Dr. Williams, 285.
 C. A. Young, 286.
Copper Acetate, Action of Arsenic
 Trioxide on, 85.
 Arsenite of, 11.
Corollina pistillaris, 238.
Corallorhiza Bigelovii, 275.
 Macraei, 276.
 striata, 276.
Cruoria purpurea, 240.
Cruoriella armorica, 240.
Cryptonemia dichotoma, 242.
 obovata, 242.
Cryptosiphonia Woodii, 241.
Cupric Parabromalpatholuate, 225.
Cynanchum Carolinense, 76.
 discolor, 76.
 hirtum, 76.
 obliquum, 76.

D.

- Dasya Callithamnion*, 235.
 lophoclados, 236.
 subsecunda, 235.
 trichoclados, 236.
Delesseria Woodii, 238.
Diamido-sulphobenzide-dicarbonic Acid, 205.
 Dimorphism, Sexual, in Butterflies, 150.

E.

- Echidiocarya*, 163.
 Arizonica, 164.
 Californica, 164.
Echinosperrum, 163.
 Greenei, 163.
Elaterium Bigelovii, 252.
 minimum, 252.
 Electro-motive forces of Batteries, New Method of Comparing, 137.
Epilobium jucundum, 57.
Erioderme velligerum, 168.
Eriogonum, Revision of, 254.
 Abertianum, 258.
 acaule, 257.
 affine, 264.
 alatum, 254.
 androsaceum, 256.
 angulosum, 262.
 annuum, 262.
 atrorubens, 261.
 Baileyi, 268.
 brachypodum, 259.
 brevicaule, 266.
 cæspitosum, 256.
 cernuum, 259.
 chrysocephalum, 263.
 ciliatum, 261.
 cinereum, 265.
 compositum, 257.
 corymbosum, 265.
 dasyanthemum, 268.
 deflexum, 259.
 dichotomum, 263.
 divaricatum, 262.
 Douglasii, 256.
 elatum, 264.
 ellipticum, 257.
 elongatum, 267.
 ericæfolium, 265.

Eriogonum, fasciculatum, 265.

- flavum*, 255.
 glandulosum, 261.
 Gordonii, 261.
 gracile, 268.
 Greenei, 83, 263.
 Greggii, 262.
 Heermanni, 267.
 heracleoides, 257.
 hieracifolium, 254.
 hirtiflorum, 259.
 incanum, 256.
 inflatum, 261.
 intricatum, 269.
 Jamesii, 255.
 Kelloggii, 256.
 Kennedyi, 263.
 Kingii, 263, 264.
 lachnogynum, 258.
 latifolium, 264.
 Lemmoni, 266.
 Lobbii, 257.
 lonchophyllum, 266.
 longifolium, 255.
 marifolium, 256.
 Mohavense, 266.
 microthecum, 265.
 multiceps, 264.
 multiflorum, 262.
 niveum, 263.
 nudum, 264.
 nutans, 259.
 oblongifolium, 264.
 ovalifolium, 262.
 Palmeri, 267.
 Parryi, 259.
 parvifolium, 265.
 pauciflorum, 263.
 pharnaceoides, 258.
 Plumatella, 269.
 polyanthum, 257.
 polycladon, 268.
 proliferum, 263.
 pusillum, 260.
 pyrolæfolium, 256.
 racemosum, 267.
 reniforme, 260.
 rotundifolium, 260.
 salsuginosum, 258.
 saxatile, 267.
 scalare, 261.
 spathulatum, 264.
 sphærocephalum, 257.
 spergulinum, 258.
 stellatum, 257.
 strictum, 263, 267.

Eriogonum, subreniforme, 260.
 tenellum, 261.
 Thomasii, 260.
 Thompsonae, 265.
 Thurberi, 260.
 thymoides, 256.
 tomentosum, 255.
 Torreyanum, 257.
 trichopodium, 260.
 triste, 254.
 truncatum, 266.
 umbellatum, 257.
 undulatum, 255.
 ursinum, 256.
 villiflorum, 258.
 vimineum, 268.
 virgatum, 268.
 Watsoni, 259.
 Wrightii, 266.
Eritrichium holopterum, 81.
 setosum, 80.
Erythrocytis Grevillei, 238.
Erythronium grandiflorum, 278.
 purpurascens, 277.
 Ethers of Uric Acid, on the, 26.
Eucheuma acanthocladum, 238.

F.

Farlowia compressa, 241.
 crassa, 241.
 Fellows, Associate, List of, 339.
 Fellows deceased:—
 Alexis Caswell, 285.
 Charles Davies, 283.
 C. H. Davis, 286.
 Nicholas St. John Green, 283.
 F. B. Meek, 286.
 William A. Stearns, 283.
 Edward Wigglesworth, 283.
 Charles Wilkes, 286.
 Fellows elected:—
 Henry Larcom Abbott, 280,
 283.
 Alexander Graham Bell, 286,
 287.
 Jeremiah Lewis Diman, 286,
 287.
 William Ferrel, 286, 287.
 Richard Saltonstall Greenough,
 280.
 Thomas Hill, 280.
 Nathaniel Holmes, 280.
 Bennett Hubbard Nash, 280.
 George Mary Searle, 280, 283.
 William Edward Story, 280.

Fellows, List of, 336.
 Filtering, Reverse, the Process and
 its Application, 124.
 Fluorides of Manganese, Contribu-
 tions towards the History of,
 228.
 Foreign Honorary Members de-
 ceased:—
 Karl Ernst Von Baer, 286.
 Alexander Braun, 286.
 Christian Gottfried Ehrenberg,
 283, 286.
 Wilhelm Hofmeister, 286.
 Christian Lassen, 279, 286.
 J. C. Poggendorf, 286.
 Foreign Honorary Members elect-
 ed:—
 Ernst Curtius, 280, 283.
 François August Alexis Mig-
 net, 280, 283.
 James Paget, 285, 287.
 Mark Pattison, 280, 283.
 Henry Creswick Rawlinson,
 280, 283.
 Arthur Penrhyn Stanley, 280,
 283.
 Alfred Tennyson, 280, 284.
 Eugene Emmanuel Violet-Le-
 Duc, 280, 283.
 Foreign Honorary Members, List of,
 341.

Forestiera acuminata, 63.
 Neomexicana, 63.
Fraxinus Greggii, 83.
 Schiedeana, 63.

G.

Gaillardia spathulata, 59.
Galax aphylla, 62.
Galaxaura lapidescens, 240.
Galium Brandegei, 58.
 Galvanic Batteries, New Method of
 comparing the Electro-mo-
 tive forces of, 137.
 New Method of Measuring the
 Resistance of, 137, 140.
Gilia brevicula, 79.
 caespitosa, 80.
 Haydeni, 79.
 Parryæ, 76.
Gomphocarpus, 66, 73.
 cordifolius, 73.
 purpurascens, 66.
 tomentosus, 73.

- Gonolobus*, 74, 75.
 Baldwinianus, 76, 77.
 biflorus, 78.
 Carolinensis, 76, 77.
 cynanchoides, 78.
 granulatus, 75, 76.
 hastulatus, 78.
 hirsutus, 76, 77.
 lævis, 75.
 macrophyllus, 75, 76, 77.
 Nuttallii, 76.
 obliquus, 76.
 parvifolius, 77, 78.
 parviflorus, 79.
 productus, 78.
 prostratus, 77, 79.
 pubiflorus, 77.
 reticulatus, 75.
 sagittifolius, 77.
 suberosus, 75.
 tiliæfolius, 76.
 viridiflorus, 76.
Grateloupia *Cutleriae*, 243.
 Gibbesii, 243.
Griffithsia *Bornetiana*, 243.
 corallina, 242.
 globifera, 243.
 opuntioides, 243.
Gruvelia *pusilla*, 81.
Gymnadenia *longispica*, 277.
Gymnogongrus *Griffithsiae*, 242.
 leptophyllus, 242.
 linearis, 242.
 tenuis, 242.
Gymnolomia *Porteri*, 59.
Gyrophora *mammulata*, 167.
- H.
- Habenaria* *Cooperi*, 276.
 foetida, 277.
 gracilis, 277.
 pedicellata, 276.
 Schischmareffiana, 277.
 sparsiflora, 276.
 Thurberi, 276.
 Unalashcensis, 277.
Halymenia *decipiens*, 243.
 ligulata, 243.
Harpagonella *Palmeri*, 164.
Heat, Determination of the Law of
 Propagation in the Interior
 of a Solid Body, 143.
Hemizonia *Streetsii*, 162.
Holacantha *Emoryi*, 161.

- Horizontal Photoheliograph*, The-
 ory of the, 186.
Hulsea *Parryi*, 59.
Hydrophyllum *appendiculatum*, 62.
Hydric Sulphide, on a New Mode of
 manipulating, 113.

I.

- Isopyrum* *stipitatum*, 54.

K.

- Kallymenia* *Californica*, 241.
Kerguelen Lichens, 181.
Kœberlinia *spinosa*, 161.

L.

- Lachnostoma*, 74.
 hastulatum, 78.
 parviflorum, 79.
 prostratum, 79.
 tigrinum, 74.
Laurencia *Brongniartii*, 237.
 gemmifera, 237.
 intricata, 237.
 spectabilis, 237.
 tuberculosa, 237.
Lavatera *insularis*, 249.
 venosa, 249.
Lecanora *ambigens*, 176.
 dentilabra, 173.
 dichroa, 183.
 Franciscana, 173.
 gelida, 184.
 glauco-virens, 172.
 Kerguelensis, 184.
 orosthea, 173.
 semitensis, 172.
Lecidea *cyrtidia*, 181.
 mamillana, 180.
 psephota, 181.
 rubina, 178.
 tessellina, 181.
 thamnina, 178.
Lemmonia, 162.
 Californica, 162.
Lepidium *dictyotum*, 54.
Leptogium *rivale*, 170.
 terrenum, 184.
Leptoglossis, 164.
 Coulteri, 165.
 Texana, 164.
Lespedeza *angustifolia*, 57.
 capitata, 57.

- Lespedeza hirta*, 57.
 leptostachya, 57.
Liagora Cayohuesonica, 240.
 farionicolor, 240.
Lichens, Kerguelen, 181.
 Observation on North American and other, 166.
Lithothamnion fasciculatum, 239.
 polymorphum, 239.
Lithothrix Aspergillum, 236.
Lobelia Feayana, 60.
 Ludoviciana, 60.
Lomentaria saccata, 238.
Lupinus Arizonicus, 250.
 concinus, 250.
 mieranthus, 250.
 trifidus, 250.
Lychnis, Revision of, 246.
 affinis, 247.
 Ajanensis, 247.
 alpina, 246.
 apetala, 247, 248.
 Californica, 248.
 Drummondii, 248.
 elata, 249.
 Kingii, 247.
 montana, 247.
 nuda, 248.
 Parryi, 248.
 triflora, 247.
Lycium gracilipes, 81.
Lysimachia angustifolia, 63.
 heterophylla, 63.
 hybrida, 63.
 lanceolata, 63.
 longifolia, 63.
 quadriflora, 63.
 radicans, 63.
Lythrum alatum, 251.
 breviflorum, 251.

M.

- Malvastrum Palmeri*, 250.
Manganese, the Fluorides of, Contributions towards the history, 228.
Marah minima, 252.
Melinia angustifolia, 70.
Melobesia amplexifrons, 239.
 Lenormandi, 239.
 Lejolisii, 239.
Melothria pendula, 252.
 Members, Foreign Honorary, *See* Foreign Honorary Members.

- Mentzelia hirsutissima*, 252.
 tricuspis, 252.
Metastelma angustifolium, 73.
 Blodgettii, 73.
 parviflorum, 74.
Methyllantoin, 31.
Methylparaban, 35.
Methyluric Acid, 27.
 oxydation with nitric acid, 33.
 on some of the salts of, 36.
 dibasic methylurate, 37.
 dipotassic methylurate, 37.
 disodic methylurate, 39.
 monobasic methylurate, 39.
 monocalcic methylurate, 40.
 monopotassic methylurate, 37.
 monosodic methylurate, 38.
 Milk Analyses, 98.
Mimulus Palmeri, 82.
Mirabilis Greenei, 253.
Monardella Palmeri, 82.

N.

- Nasturtium trachycarpum*, 54.
Nemacladus longifolius, 60.
Nemalion Andersonii, 240.
 virens, 240.
Nemastoma Californicum, 243.
Neuropogon melaxanthus, 183.
 Taylori, 183.
Nierembergia viscosa, 165.
Nitophyllum areolatum, 238.
 laceratum, 238.
 latissimum, 238.
 multilobum, 238.
 spectabile, 238, 245.
 violaceum, 238.

O.

- Observationes Lichenologicæ*, 166.
 Officers elected, 281.
Enothera Palmeri, 251.
 triloba, 251.
Omphalaria Kansana, 170.
Orthocarpus lasiorhynchus, 82.
Orthosia acuminata, 79.
 oblongata, 79.
Oxytheca inermis, 273.
 tribolata, 83.

P.

- Palafoxia Feayi*, 59.
Pannaria glaucella, 183.

- Pannaria placodiopsis*, 183.
 Sonomensis, 169.
 stenophylla, 169.
 symptychia, 168.
 Taylori, 183.
Parabrombenzyl Compounds, on,
 221.
 Parabromalphatoluylic Acid,
 223.
 Parabrombenzylacetate, 222.
 Parabrombenzylalcohol, 221.
 Parabrombenzylcyanide, 222.
 Parabrombenzylsulphocyanate,
 227.
 Triparabrombenzylamine, 225.
Parmelia aegialita, 166.
 confluens, 166.
Pectocarya pusilla, 81.
 setosa, 81.
Pentstemon comarrhenus, 81.
 strictus, 82.
 Wardi, 82.
Pertusaria albinea, 177.
 ambigens, 176.
 colobina, 175.
 euglypta, 177.
 flavicunda, 176.
 thamnoplaca, 175.
 velata, 176.
Petrocelis cruenta, 239.
Peyssonnelia atro-purpurea, 239.
 Dubyi, 239.
 imbricata, 240.
 rubra, 239.
Phacelia grisea, 80.
Philibertia cynanchoides, 64.
 elegans, 64.
 linearis, 64.
 Torreyi, 64.
 undulata, 65.
 viminalis, 64.
Photograph, Theory of the
 Horizontal, 186.
Phyllophora Clevelandii, 242.
Physcia obscura, 167.
 picta, 166.
Pilophorus acicularis, 177.
Placodium atroalbum, 172.
 bicolor, 184.
 ferrugineum, 171.
 ferruginosum, 171.
 galactophyllum, 171.
Plants, Description of New Species,
 &c., 246.
Platanthera fetida, 277.
 gracilis, 277.
Plantanthera striata, 277.
Plocamium violaceum, 240.
Podostigma, 65.
Polyotus angustifolius, 72.
Polysiphonia dictyurus, 237.
 pecten-Veneris, 237.
Polysiphonia pennata, 237.
 secunda, 236.
 senticulosa, 236.
 thyrsigera, 237.
 verticillata, 237.
Prionotis Andersoniana, 242.
 Clevelandii, 242.
Proceedings, 279.
Psoralea Californica, 251.
Ptycanthera acuminata, 79.
 oblongata, 79.
Pyrola, 61.
Pyxine, 166.
 coccinea, 167.
 Cocoes, 166.
 picta, 166.
 retirugella, 166.

R.

- Reverse Filtering, Process and Ap-
 plication of, 124.
Reyesia, 165.
Rhabdonia ramosissima, 238.
Rhododendron Chapmanii, 61.
 punctatum, 61.
Riceardia Montagnei, 237.
Rinodina mamillana, 174.
 milliaria, 175.
 ochrotis, 174.
 radiata, 173.
 thysanota, 174.
Rudbeckia Porteri, 59.
Rumex longifolius, 254.
 occidentalis, 253.
Rumford Committee, Appropria-
 tions, 279, 283.
 Monument, 286, 287.
Rumford's Works, 279, 283.

S.

- Sarcophyllis Californica*, 241.
 edulis, 241.
Sarcostemma Brownii, 65.
 clausum, 65.
 crassifolius, 65.
 cynanchoides, 61.
 elegans, 64.

- Sarcostemma heterophyllum*, 64.
 undulatum, 65.
Saxifraga chrysantha, 83.
 Hirculus, 84.
 serpyllifolia, 84.
Scheele's Green, its Composition,
 11.
Schizonotus, 66.
 purpurascens, 66.
Schizymenia coccinea, 243.
Schweinfurt Green, Composition
 of, 85.
Sexual Dimorphism in Butterflies,
 150.
Silene Drummondii, 248.
Sisyrinchium anceps, 277.
 bellum, 277.
 Bermudianum, 277.
 minus, 277.
 mucronatum, 277.
Solar Parallax, Application of
 Horizontal Photoheliograph
 to Determination of, 186.
Solidago sparsiflora, 58.
Sounds, produced electrically, 1, 5.
Spiranthes Unalaschcensis, 277.
Squamaria lateritia, 184.
Stachys Rothrockii, 82.
Steironema, 62.
 ciliatum, 63.
 florida, 63.
 heterophylla, 63.
 lanceolatum, 63.
 longifolium, 63.
 radicans, 63.
 revolutum, 63.
Stereocaulon cereolinum, 178.
Sticta Hallii, 168.
Sympetaleia, 161.
 aurea, 161.
Synalissa melambola, 170.
 viridi-rufa, 170.

 T.
Tænioma Clevelandii, 236.
 macrourum, 236.
 perpusillum, 236.
Telephone, Researches in, 1.
Tetradymia comosa, 60.
Thamnosma montana, 160.
Thelotrema Californicum, 177.
Thelypodium Cooperi, 246.
Transits of Venus, Determination
 of Solar Parallax by, 186.

 U.
Umbilicaria Caroliniana, 167.
 dictyiza, 167.
 mammulata, 167.
Urceolina Kergueliensis, 184.
Uric Acid, on the Ethers of, 26.
Usnea Taylori, 183.
 sulphurea, 183.

 V.
Vincetoxicum acanthocarpus, 77.
 gonocarpus, 76.
Viscosity of Air, Effect of Tempera-
 ture on, 41.
Vortex Rings in Liquids, 131.